Created for Kshiti Alaspurkar

DEFENDER

DEFENDER X-DYNAMIC HSE Ingenium 3,0 litre 6-cylinder 258 kW Twin Turbocharged Diesel MHEV (Automatic) All Wheel Drive



EXTERIOR



EXTERIOR FEATURES

Colours	Fuji White
Colour Finish	Gloss finish
Roof Colour	Black contrast roof
Bonnet Type	Body-coloured bonnet
Glass	Clear glass
Wheels	50.80 cm (20) Style 5095, Diamond Turned wheels with Gloss Dark Grey contrast
Tyres	All-Terrain Tyres
Spare Wheel Covers	Body-coloured Spare Wheel Cover

INTERIOR



INTERIOR FEATURES

Seat Configuration	5+2 seats (includes third row)
Trim	Ebony Windsor leather and Kvadrat™ seats with Ebony interior
Finishers	Ebony finisher
Cross car beam	Cross car beam in Metallic Grey Powder Coat finish
Interior upgrades	Signature interior upgrade
Headlining	Ebony suedecloth headlining

OPTIONS

ROOF TYPE

Sliding panoramic roof	A full-size sliding panoramic tinted glass roof, designed to provide abundant light and space, plus high solar protection. An electric sunblind extends for extra shade or privacy.

ROOF RAILS

Black roof rails	Roof rails facilitate easy fitment of cross bars for roof carrying. Pre-set positioning points ensure cross bars are fixed in optimum position for weight distribution and dynamics. Maximum payload is 100kg. Maximum payload equals the load capacity of the roof mounted accessory. Objects placed above the roof mounted satellite antenna may reduce the quality of the signal received by the vehicle and could have a detrimental effect on the navigation and satellite radio systems, if fitted.

EXTERIOR LIGHTING

Matrix LED headlights with signature DRL	The Matrix LED headlights with Signature DRL enable an Adaptive Driving Beam. By splitting the main beam into vertical strips, the adaptive beam maximises the number of high beam sections for ultimate visibility, while casting a shadow over oncoming traffic to help to prevent dazzling. The adaptive beam is also able to optimise the light distribution to suit the driving conditions of town, country, motorway or bad weather.

SIGNATURE GRAPHIC

Signature graphic	Defender's signature graphic demonstrating its strength and proportions.

HEADLIGHT WASH

Headlight power wash	Headlight power wash keeps your headlights clean, ensuring clear light in all conditions.

WINDSCREEN

Non-Heated windscreen	-

CONSOLE CONFIGURATION

Front centre console refrigerator compartment	Defender’s seat configuration options include a centre console with refrigerator compartment, so you can chill drinks on any journey.

SEATING FUNCTIONALITY

14-way heated and cooled electric memory front seats with 4-way manual winged headrests	Personalise your comfort by setting and saving your seat position and posture, heating or cooling your seats depending on where your next adventure takes you. In addition, our new winged headrests add extra comfort and support.

REAR SEAT OPTIONS

60:40 load through climate rear seats with winged headrests, manual slide and recline and centre armrest	-

STEERING WHEEL

Leather steering wheel	A strong, stylish accompaniment to our sophisticated Windsor Leather or Windsor Leather with Kvadrat trims.

HEATED STEERING

Non-Heated Steering Wheel	-

GEARSHIFT

Leather gearshift	A strong, stylish, leather-wrapped gearshift that adds the ideal finishing touch to our sophisticated Windsor Leather or Windsor Leather Kvadrat trims.

DISPLAY

Head-up Display	Presents key vehicle data, including speed, gear position and navigation directions, on the windscreen. It features crystal-clear, full-colour high-resolution graphics, enabling you to see all information with ease, including off-road driving information such as incline and camber angles.
Interactive Driver Display	The 12,3" high-definition Interactive Driver Display can receive and project a vast amount of driving information, entertainment and active safety data including navigation, phone and media. Its high resolution ensures the utmost clarity and its refined processing engine delivers smooth moving pin-sharp graphics.

SUSPENSION

Electronic Air Suspension	A comfortable and capable drive is ensured by electronic air suspension. Choose from an access height of 40mm below normal ride height, to an extended height of up to 75mm. For extreme off-road conditions, a further extended ride height of 70mm is available. Even across unsteady surfaces, it provides exceptional wheel articulation and poise.

SPARE WHEELS

50.80 cm (20) full size spare wheel	Full size spare wheel with vehicle jack, wheel brace and toolkit stored under loadspace floor.

DRIVER ASSISTANCE

Driver Condition Monitor	Stay sharp. Stay safe. The Driver Condition Monitor keeps you alert, detecting fatigue and advising when to take a break.

STANDARD FEATURES

STANDARD FEATURES

EXTERIOR FEATURES

Gloss Black Grille Bar	Graphite Atlas Matte Lettering	Satin Carpathian Grey front and rear skid pan
Body-coloured bonnet	Black exposed rear recovery eyes	Solar attenuating windscreen
Soft close tail door	Heated, electric, power fold door mirrors with approach lights and auto-dimming driver side	Third Row fixed panoramic roof
Electric Parking Brake (EPB)	Brake pad wear indicator	Emergency Brake Assist
Anti-lock Braking System (ABS)	Electronic Brake-force Distribution (EBD)	Electric windows with one-touch open/close and anti-trap
Heated rear window with timer	Rear wash wiper	Alpine lights
Side-hinged tailgate	Standard tail door	

EXTERIOR LIGHTING

Automatic headlights and rain sensing wipers	Automatic Headlight Levelling	Front fog lights
Puddle lights	Follow me home lighting	Centre high-mounted stop light
Darkened tail lights	Rear fog light(s)	

THIRD ROW SEATS

Manual heated third row seats

STANDARD FEATURES

INTERIOR FEATURES

- Windsor leather seats
- Sunvisors with illuminated vanity mirrors
- Three-zone Climate Control with Rear Cooling Assist
- Configurable Cabin Lighting
- Rear reading lights
- Durable rubber loadspace flooring
- Electrically adjustable steering column
- Air Quality Sensor
- Footwell lights
- Glovebox storage
- Durable rubber cabin flooring
- Hook(s) in loadspace
- Twin front cupholders
- Cabin Air Purification Plus
- Illuminated metal treadplates with DEFENDER script
- Rear centre headrest
- Carpet mats
- Loadspace cover

INFOTAINMENT

- 33.27 cm (13.1) Touchscreen
- Pivi Pro (Connected)
- 12V power socket in loadspace
- Android Auto™ (subject to availability)
- Meridian™ Surround Sound System
- Apple CarPlay® (subject to availability)
- AM/FM radio

CONVENIENCE

- ClearSight interior rear view mirror
- Domestic plug socket
- Remote
- Keyless Entry
- Wireless device charging

TOWING

Trailer Stability Assist (TSA)

SAFETY AND SECURITY

Front passenger seat ISOFIX
Intrusion sensor
Tyre Pressure Monitoring System (TPMS)
Locking wheel nuts
Customer Configurable Autolock
Power operated child locks
Seat belt reminder
Rear ISOFIX
Push Button Start
Front airbags, with passenger seat occupant detector

WHEEL LOCK

Spare wheel lock (3 spoke)

TRANSMISSION AND DYNAMICS

Adaptive Off-Road Cruise Control
Adaptive Dynamics
Terrain Response 2
Configurable Terrain Response
Electronic Active Differential with Torque Vectoring by Braking
All Wheel Drive (AWD)
Twin-speed transfer box (high/low range)
8-speed Automatic Transmission
Hill Launch Assist
Electric Power Assisted Steering (EPAS)
Dynamic Stability Control (DSC)
Low traction launch
Electronic Traction Control (ETC)
Roll Stability Control (RSC)
Cornering Brake Control (CBC)

STANDARD FEATURES

TRANSMISSION AND DYNAMICS

- Hill Descent Control (HDC)
- Brake Hold

DRIVER ASSISTANCE

- 3D Surround Camera
- 360° Parking Aid
- Adaptive Cruise Control
- Wade Sensing

TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS

PERFORMANCE

Maximum speed km/h	191‡
Acceleration (s) 0-100 km/h	6.4

FUEL ECONOMY KM/L

Tank capacity (l approx.)	-

POWERTRAIN

Capacity (cc)	2 997
Maximum power (kW/r/min)	257 / 4 000
Maximum torque (Nm/r/min)	700 / 1 500 - 3 000
Transmission	Automatic

WEIGHTS

Unladen weight (EU) (kg)	2 436 (5 seats) / 2 506 (5+2 seats)△
Unladen weight (DIN) (kg)	2 361 (5 seats) / 2 431 (5+2 seats)▲
Gross Vehicle Weight (GVW) (kg)	3 200 (5 seats) / 3 280 (5+2 seats)

TOWING

Unbraked trailer (kg)	750
Maximum towing (kg)	3 500 (5 seats) / 3 495 (5+2 seats)

TOWING

Maximum coupling point (nose weight) (kg)	150
Maximum vehicle and trailer combination (GTW) (kg)	6 700 (5 seats) / 6 775 (5+2 seats)

ROOF CARRYING

Maximum roof load (including cross bars) (kg)	100 (All-season tyres) / 168 (All-Terrain Tyres)◇

DIMENSIONS

Height (mm)	1 972 (Coil suspension) | 1 967 (Air suspension)
Length (mm)	4 758 (Without spare wheel) | 5 018 (With spare wheel)
Width with mirrors folded (mm)	2 008
Width with mirrors out (mm)	2 105
Front wheel track (mm)	1 704 (Coil suspension) | 1 706 (Air suspension)
Rear wheel track (mm)	1 700 (Coil suspension) | 1 702 (Air Suspension)
Wheelbase (mm)	3 022

HEADROOM

Maximum first row / second row / third row headroom with standard roof (mm)	1 032 / 1 025 / NA (5 seats) | 1 032 / 1 025 / 1 041 (5+2 seats)

TECHNICAL SPECIFICATIONS

HEADROOM

Maximum first row / second row / third row headroom with panoramic/fabric roof (mm)	1 032 / 1 025 / NA (5 seats) | 1 032 / 1 025 / 1 041 (5+2 seats)

LEGROOM

Maximum first row / second row / third row legroom (mm)	993 / 992 / NA (5 seats) | 993 / 975 / 517 (5+2 seats)

LOADSPACE CAPACITY

Height (mm)	904
Width (mm)	1 211 (5 seats) / 1 188 (5+2 seats)
Width between arches (mm)	1 160
Length behind first row (mm)	1 763 (5 seats) / 1 789 (5+2 seats)
Maximum loadspace volume behind first row - Dry (l)	1 875 (5 seats) / 1 826 (5+2 seats)✧
Maximum loadspace volume behind first row - Wet (l)	2 277 (5 seats) / 2 233 (5+2 seats)✦
Length behind second row (mm)	919 (5 seats) / 900 (5+2 seats)
Maximum loadspace volume behind second row - Dry (l)	786 (5 seats) / 743 (5+2 seats)✧
Maximum loadspace volume behind second row - Wet (l)	972 (5 seats) / 916 (5+2 seats)✦
Length behind third row (mm)	289
Maximum loadspace volume behind third row - Dry (l)	160✧

LOADSPACE CAPACITY

Maximum loadspace volume behind third row - Wet (l)	231✦

GROUND CLEARANCE - STANDARD

Ride height (mm)	228 (Coil suspension) | 218 (Air suspension)
Approach Angle	31.2° (Coil suspension) | 30.1° (Air suspension)
Departure Angle	37.8° (Coil suspension) | 37.7° (Air suspension)
Ramp Angle	22.6° (Coil suspension) | 22.0° (Air suspension)

GROUND CLEARANCE - OFF ROAD

Ride height (mm)	226 (Coil Suspension) | 293 (Air Suspension)
Approach Angle	32.0° (Coil suspension)▽ | 37.6° (Air suspension)▽
Departure Angle	37.7° (Coil suspension)▽ | 41.9° (Air suspension)▽
Ramp Angle	22.2° (Coil suspension) | 27.9° (Air suspension)

WADING DEPTH

Maximum wading depth (mm)	850 (Coil Suspension) | 900 (Air Suspension)

TURNING CIRCLE

Kerb-to-kerb (m)	12.84
Wall-to-wall (m)	13.1
Turns lock-to-lock (no. of turns)	2.7

YOUR CONFIGURATION


https://buildyour.landrover.in/lr/en_in/l663_k26/4d6dc/a-110/ipr/reserve

AMP MOTORS

9205287387

info@ampmotors.in

38 KM Stone, Delhi Jaipur Highway, NH-8,
Khandsa, Gurgaon, Haryana, 122001



*Plug In Hybrid models are only available with 5 seats, due to battery geometry in loadspace.

**Market dependent availability.

††The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. PHEV with a fully charged battery. For comparison purposes only. Real world figures may differ. CO2, fuel economy, PHEV eAER, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment, accessories fitted, actual route and battery condition. Range figures are based upon production vehicle over a standardised route. V8 P635 figures provided are manufacturer’s estimates and will be replaced with the official EU test figures as soon as they are available

‡Max speed is 209km/h when fitted with 22" wheels.

◊Max speed is 191km/h when fitted with 20" wheels.

‡‡When combined with electric motor.

△Includes a 75kg driver, full fluids and 90% fuel.

▲Includes full fluids and 90% fuel.

◇Dynamic roof load allows for up to 118kg/168kg (90/110 and 130) when fitted with Off-road tyres and Expedition Roof Rack. Static roof load allows for up to 300kg.

⧫Behind row 1 figures for Hard Top relates to behind loadspace partition.

✧Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm). Hard Top models: Includes underfloor stowage, excludes jack and tools.

✦Wet: Volume as measured by simulating the loadspace filled with liquid. Hard Top models: Includes underfloor stowage, excludes jack and tools.

▼Defender V8 models have no dynamic roof loading capacity. Static roof load allows for up to 300kg.

▽With towing eye cover removed.

▼▼100kg (22" Wheels with All Season Tyres) / 168kg (20" Wheels with All-Terrain or Advanced All-Terrain Tyres). Roof load is 0kg when OCTA mode is activated.

Weights stated reflect vehicle standard specification. Accessories and other items fitted after the point of manufacture will affect payload. Ensure Gross Vehicle Weight and Maximum Axle Loads are not exceeded when loading the vehicle with accessories, occupants, fluids and fuels, and payload.

Optional features and their availability may differ by vehicle specification (model and powertrain), or require the installation of other features in order to be fitted. Please contact your local Retailer for more details, or configure your vehicle online.

PRIVACY POLICY
TERMS AND CONDITIONS
CONTACT US
SELECT A COUNTRY

© Jaguar Land Rover Limited 2026: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Important note on imagery & specification. We are living through exceptional times. Due to the Covid pandemic we have been prevented or delayed in the creation of new images of current model years. Now the global impact of micro-chip shortages is further affecting build specifications, options and launch timings. Until this unique event settles, please note that **many images cannot**

be updated to 22/23 model year specifications. Features, options, trim and colour schemes may differ from many images. Customers are urged to consult their local Retailer for detailed 22/23 model year specifications and to not base an order on marketing imagery and specification alone.

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years. The information, specification, engines and colours on this website are based on European specification and may vary from market to market and are subject to change without notice. Some vehicles are shown with optional equipment and retailer-fit accessories that may not be available in all markets. Please contact your local Retailer for local availability and prices.